ISSN: 3064-996X | Volume 2, Issue 3

Open Access | PP: 12-16

DOI: https://doi.org/10.70315/uloap.ulete.2025.0203003



Research Article

Current Models for Implementing Crash Detection in Digital Mobile Platforms

Yaryha Andrei

Software Engineer, MVP LLC, Minsk, Belarus.

Abstract

This article provides an in-depth examination of contemporary crash detection models integrated into digital mobile platforms and Internet of Vehicles (IoV) infrastructures. The study first discusses hardware configurations—including accelerometers, GPS modules, and dashcams—and explores how these sensors interact in real-time telematics environments. It then delineates the algorithmic frameworks underlying crash detection, contrasting threshold-based heuristics with machine learning and deep learning approaches. Further, practical facets such as multi-sensor calibration, federated learning for privacy preservation, and adaptable data communication strategies are critically analyzed. The article also highlights integration with external service ecosystems (e.g., emergency assistance, insurance) and addresses legal, privacy, and standardization challenges surrounding crash detection deployment. Taken together, these investigations elucidate the potential of holistic, data-driven systems for reducing false alarms and accelerating life-saving interventions in traffic accidents.

Keywords: Crash Detection; Internet of Vehicles (IoV); Federated Learning; Sensor Fusion; Mobile Platforms; Telematics; Road Safety; Emergency Notification.

INTRODUCTION

Crash detection systems are engineered to identify traffic collisions in real time, often relying on an array of sensors— such as accelerometers, GPS modules, and in some cases on-board cameras—to ascertain the occurrence and severity of an accident [2, 9, 14]. Over the past decade, they have proven indispensable for reducing the delay between impact and emergency response, thus directly affecting victims' survival chances [11]. This effect is amplified in sparsely populated or remote regions, where eyewitnesses may be unavailable and immediate communication with authorities is difficult [1].

Modern mobile digital platforms have enhanced these functionalities, leveraging pervasive cellular networks, advanced smartphones, and dedicated vehicle telematics devices to capture, analyze, and transmit critical data at near-instantaneous speeds [5, 13]. Within this Internet of Vehicles (IoV) paradigm, data—ranging from abrupt changes in acceleration to real-time video streams—can be shared across a distributed infrastructure of vehicles, servers, and roadside units [8]. Such integrated systems ensure that crash alerts are not only generated rapidly but also disseminated to nearby responders and emergency centers in minimal time [6]. As a consequence, the efficiency of emergency interventions, particularly at night or in adverse conditions, is markedly improved.

Despite these developments, traditional accident detection approaches—many of which rely on simple thresholding of sensorsignals—sufferfromnotabledrawbacks[6,14].Sudden phone drops or sharp braking maneuvers can resemble collisions, leading to false positives and misallocation of emergency resources [2]. Furthermore, a fragmented landscape of data sources (e.g., different in-vehicle sensors and external cameras) has made it challenging to fuse largescale sensor readings with modern deep learning algorithms for robust crash identification [7, 9]. This lack of a unified approach hampers both consistency and scalability.

Another obstacle involves communication bottlenecks that slow the relay of accident information to emergency services. In areas with limited infrastructure or overloaded networks, even minor transmission delays may significantly reduce the effectiveness of rescue efforts [1]. Consequently, there is a pressing need for integrated solutions that merge reliable sensor fusion, adaptive network protocols, and advanced machine learning techniques to accelerate the detection and management of traffic accidents [4].

Citation: Yaryha Andrei, "Current Models for Implementing Crash Detection in Digital Mobile Platforms", Universal Library of Engineering Technology, 2025; 2(3): 12-16. DOI: https://doi.org/10.70315/uloap.ulete.2025.0203003.

This article seeks to address the aforementioned limitations in crash detection on mobile digital platforms. Three overarching objectives frame the discussion:

- 1. Identify and compare frameworks that unify multisensor data streams, collision classification algorithms, and near-real-time notification channels, emphasizing key design choices and trade-offs.
- 2. Demonstrate how sensor fusion—from accelerometers and GPS to dashcam-like video—can leverage deep neural networks for improved crash detection accuracy, while telematics platforms provide the backbone for efficient data transfer [5, 13].
- 3. Illustrate how a fully integrated deployment—featuring on-device data processing, remote analytics, and rapid alerting—reduces incident-to-notification intervals, thereby increasing survivability in severe crashes [7, 11].

By fulfilling these objectives, the article provides an overview of current technological capabilities and outlines promising directions for achieving faster, more reliable, and more accurate detection of traffic accidents.

Approaches to the Design and Implementation of Crash Detection Systems

Crash detection systems commonly rely on a variety of

sensors—accelerometers, GPS units, vibration sensors, and onboard cameras—to capture events indicative of a collision [6, 12]. Accelerometers measure abrupt changes in velocity, while GPS data helps estimate real-time speed, location, and trajectory, confirming the plausibility of an impact. Vibration and gyroscopic sensors add further nuances, distinguishing between genuine crashes and minor bumps or braking [2]. Video streams from dashcam-like cameras significantly reduce false alarms by visually confirming whether a severe event is underway [4, 7].

These sensor modules may be integrated into smartphones, attached externally to vehicles, or embedded in a vehicle's electronic control unit (ECU). Smartphone-based setups utilize the device's built-in accelerometer and GPS for a basic crash detection service—although false positives can arise from drops or sudden phone movements [1]. Meanwhile, fixed in-vehicle hardware (e.g., dedicated telematics units) leverages stable power sources and direct access to the car's CAN bus for richer data. Interfacing with telematics also opens the door to real-time communication protocolssuch as LTE, 5G, or DSRC—thereby enabling rapid transfer of collision data to cloud services or roadside units, known collectively under the Internet of Vehicles (IoV) paradigm [5, 13]. This holistic architecture supports near-instantaneous dispatch of emergency alerts, a vital factor for patient survival [14].



Fig 1. Layered crash-detection and notification pipeline integrating multi-sensor edge capture, telematics communication, federated analytics, and emergency-service interfaces

Current Models for Implementing Crash Detection in Digital Mobile Platforms

Adapting crash detection solutions to multiple vehicle types (e.g., motorcycles, automobiles, trucks) introduces challenges related to distinct vibration patterns and installation constraints [4]. Moreover, the degree of connectivity in urban versus rural environments can shift how alerts are transmitted, requiring fallback or hybrid solutions to guarantee message delivery [2, 10]. Table 1 compares the main sensor categories used in crash detection.

Sensor Type	Measured Quantity	Typical Device	Advantages	Limitations
Accelerometer	Changes in velocity/ acceleration	Smartphone IMU or dedicated vehicle sen- sor (onboard ECU)	Real-time detection of sudden forces; relatively low cost	Prone to false positives (phone drops); vibrations may mimic collisions [2]
GPS	Location, speed, tra- jectory	Smartphone GPS, au- tomotive-grade GNSS receiver	Precise speed and location data; easy integration into mobile devices	Accuracy may degrade in tunnels, dense urban areas [11]
Vibration/Gyro Sensor	Rotational forces and micro-tremors	Embedded MEMS sensor, IMU module in car or phone	Distinguishes real colli- sions from simple braking; improves detection rates	Sensor drift over time; might require calibration for dif- ferent road conditions [12]
Dashcam (Cam- era Feed)	Visual confirmation of accidents	Front-facing camera or dashcam unit	Reduces false alarms via image analysis; aids in ac- cident reconstruction	Increased power consump- tion; demands higher band- width/storage [4, 7]

Table 1. Compariso	on of the main	sensor categories
--------------------	----------------	-------------------

From an algorithmic perspective, the simplest methods employ predefined thresholds on accelerometer or vibration readings. For instance, an abrupt acceleration exceeding ±4 g coupled with a sudden velocity drop can constitute a collision event [9]. While easy to implement, these fixed thresholds often produce false alarms—particularly on bumpy roads or when a phone is dropped [1]. More advanced classical machine learning techniques, such as Support Vector Machines (SVMs) or Random Forests, rely on labeled datasets ("crash" vs. "non-crash") to learn patterns from multi-sensor signals [14]. They typically outperform static thresholds but still demand careful feature engineering and robust training sets [11].

Deep neural networks substantially reduce the need for manual feature design by learning representations from raw sensor data or video frames [7, 12]. Convolutional Neural Networks (CNNs) can spot anomalies in dashcam footage like sudden forward impacts—while autoencoders or transformer-based architectures detect out-of-distribution signals in accelerometer data, flagging them as potential collisions [4]. Although these methods excel in complex scenarios, they typically require extensive computational resources and large annotated datasets [3].

Integration into mobile digital platforms involves three major layers: local data capture, cloud-based analysis, and emergency notification. The local or in-vehicle layer acquires sensor inputs and performs initial filtering. When a potential collision is detected, telematics controllers forward data to the cloud via low-latency channels (e.g., LTE/5G or Wi-Fi), expediting the classification process [2, 13]. If validated as a genuine crash, the system rapidly alerts emergency services, relevant roadside units, and possibly nearby users, furnishing them with geolocation data [14]. Multi-sensor verification significantly curbs false alerts by requiring

consistent evidence across sources—acceleration spikes, GPS-based speed drops, and dashcam confirmation [4]. Over time, continuous learning refines detection thresholds and classification boundaries, accommodating changes in road conditions or vehicle usage [10].

Ultimately, these approaches underscore the need for an all-encompassing design that marries reliable sensors and communication pipelines with sophisticated analytical models. By doing so, modern crash detection systems can simultaneously reduce false alarms and accelerate emergency response, thus improving the likelihood of favorable outcomes in traffic accidents.

Practical Aspects and Implementation

Implementing a robust crash detection system entails not only identifying suitable sensors and algorithms but also ensuring that these components function reliably under diverse conditions. This section discusses the optimization of crash detection algorithms, strategies for reducing false positives, the integration of federated learning paradigms, and the broader ecosystem of mobile services. In addition, it examines the privacy, legal, and infrastructural challenges surrounding advanced crash detection solutions.

A primary consideration is the careful calibration of sensors accelerometers, GPS units, and potential dashcams—to operate effectively with minimal power consumption and in environments where network connectivity may be intermittent [2, 12]. Systems designed for rural or remote regions often adopt intermittent synchronization schemes, storing events locally when no cellular network is available and transmitting them once connectivity is restored [10]. In urban contexts, continuous streaming from sensors can leverage high-bandwidth 4G/5G links but must still handle potential congestion or interference [5]. Table 2 highlights key considerations for choosing and calibrating sensor configurations in varying environments, illustrating typical sensor usage, data resolution, and deployment constraints.

Parameter	Urban High-Bandwidth Area	Remote/Low-Bandwidth Area	Key Optimization
Accelerometer Sampling Rate	High (≥200 Hz) for granular collision data	Medium (≈50–100 Hz) to conserve battery	Dynamic adjustment based on road type [4]
GPS Update Frequency	1 s or faster to track fine- grained movements	5–10 s to reduce data overhead	Trigger-based increase if abrupt acceleration detected
Camera/Dashcam Video	HD or Full HD streaming	Event-based capture (on collision threshold)	Limits power usage and bandwidth [7]
Data Transmission	Continuous 4G/5G uploads	Store-and-forward (caching until coverage)	Automated fallback to Wi-Fi or caching [2]

Table 2. Key considerations for choosing and calibrating sensor configurations in varying environments

In addition to sensor calibration, multi-sensor fusion is crucial for reducing spurious alarms. Traditional threshold-based algorithms often flag intense deceleration as a collision, even if it is caused by abrupt but non-critical maneuvers [1]. By correlating accelerometer spikes with simultaneous GPS speed drops, camera-based confirmation of road obstacles, and a short historical data window, systems can more reliably classify events as true collisions [4]. Historical pattern matching— where the current sensor readings are compared to previously labeled accident or non-accident traces—further refines decisions.

Federated learning (FL) addresses both privacy and adaptive performance in crash detection [7]. Instead of uploading raw sensor data to a central server, local models are trained on individual vehicles or devices; only the aggregated weight updates are shared. This approach preserves personal data privacy—especially video frames—while allowing the global crash detection model to learn from a wide range of driving patterns. As roads, climates, and user behaviors differ between regions, FL helps each node improve detection accuracy without compromising sensitive information.

Table 3 summarizes some core principles in federated learning that can be leveraged for crash detection, indicating typical training approaches, communication intervals, and security measures.

Federated Learning Principle	Application to Crash Detection	Challenges	Proposed Solutions
On-Device Model Training	Local sensor data remain on each vehicle or smartphone	Limited computing power on-edge	Lightweight deep learning architectures with pruning [10]
Periodic Parameter Aggregation	Global model improved by merging local updates [7]	Heterogeneity in data distribution	Clustering or hierarchical FL to handle different vehicle/road types [4]
Privacy Preservation	Minimizes transfer of raw driving data	Possible reconstruction attacks on gradients	Secure multiparty computation or differential privacy
Adaptive Retraining	Continuous improvement of crash detection thresholds	Bandwidth overhead from frequent updates	Scheduled communications; compressing gradients or updates [2]

Table 3. Core principles in federated learning for crash detection

State-of-the-art crash detection solutions increasingly interact with external entities such as emergency services, insurance platforms, or roadside assistance communities [14]. By publishing crash alerts to these networks, the system enables coordinated rescue or on-scene support. Many deployments incorporate an optional user consent module that, once triggered, shares geolocation and event logs with insurance providers for accelerated claims processing [6, 8].

A widely adopted approach includes group-based alerts: when a severe accident is detected, the system broadcasts a notification to other users within a predefined radius. These users receive push alerts or messages, enabling immediate assistance or hazard warnings for approaching vehicles. Text-based or chatroom-like channels can also facilitate realtime updates, allowing bystanders to confirm or disprove the severity of the event [2]. Additional features might include real-time communication with emergency responders and structured handovers of dashcam footage to clarify the situation.

Furthermore, advanced expansions—like fatigue or intoxication detection—can be integrated into the same framework [3]. Real-time camera streams can apply facial recognition or posture analysis to detect driver drowsiness, while sensor fusion monitors erratic lane-keeping. Once a risk threshold is exceeded, warnings or partial driving interventions can activate [4]. In line with emerging regulations in many regions, extended eCall protocols standardize how these systems place automated calls to public safety answering points (PSAPs), ensuring streamlined data formats and cross-border interoperability [10].

Current Models for Implementing Crash Detection in Digital Mobile Platforms

Despite these potential benefits, crash detection systems raise critical questions of privacy, safety, and standardization. Detailed sensor data—particularly video frames and near real-time location—may contain sensitive personal information [1]. Without appropriate anonymization or encryption, unauthorized parties could misuse this data. Lawmakers in various jurisdictions are exploring how to regulate data access, prompting solutions like end-to-end encryption or on-edge data filtering.

From a legal standpoint, standardization is also paramount. The introduction of eCall in the European Union mandates uniform protocols for emergency notifications [8]. Adopting similar frameworks globally would likely require collaboration among automotive OEMs, mobile operators, and governments to ensure that vehicles adhere to consistent telematics rules and certification processes [4, 11]. Additionally, continuous improvements in cloud computing and edge analytics promise further refinements in near crash detection. Offloading partial computations to edge devices can lower latency and improve responsiveness [13].

In summary, crash detection systems are evolving toward highly integrated, privacy-preserving, and scalable solutions that combine advanced sensors, machine learning, and realtime networking to enhance road safety. Balancing these technological possibilities with the need for data protection, legal harmonization, and inclusive coverage across diverse vehicle types remains a pivotal challenge for future research and implementation efforts.

CONCLUSION

Modern crash detection systems are characterized by comprehensive, multi-sensor architectures that combine accelerometers, gyroscopes, GPS, and camera-based inputs. The emergent trend involves the convergence of deep learning and advanced telematics, allowing for complex anomaly identification and real-time event reporting over robust IoV networks. Key to improving system reliability are adaptive sampling and calibration mechanisms that minimize power consumption, as well as federated learning approaches that address privacy and scalability. Equally significant is the broader ecosystem integration: interoperability with emergency services, insurance platforms, and other stakeholders facilitates prompt medical response and streamlined accident investigation. Challenges remain in ensuring legal compliance, standardizing protocols such as eCall, and safeguarding users' personal data, particularly when camera or high-resolution sensor information is involved. Nonetheless, continued progress in communication technologies, cloud/edge computing, and distributed artificial intelligence indicates that near-instantaneous crash detection with minimal false positives is increasingly feasible. Future work will likely extend these techniques to a

wider range of transportation modes and leverage real-time situational context for even more precise and rapid accident response.

REFERENCES

- 1. Aina, H. (2011). Malaysia ranked 20th in road death. News Straits Times.
- 2. Athey, C. (2014). Assessment of Telematics Service Provider Data Feeds. ENTERPRISE Transportation Pooled Fund Study TPF-5 (231), Enterprise.
- Chan, C. Y. (2007). Trends in crash detection and occupant restraint technology. Proceedings of the IEEE, 95(2), 388–396.
- 4. Chang, W.-J., Chen, L.-B., & Su, K.-Y. (2019). DeepCrash: A deep learning-based Internet of Vehicles system for headon and single-vehicle accident detection with emergency notification. IEEE Access, 7, 148163–148173.
- Cheng, J., Zhou, M., Liu, F., Gao, S., & Liu, C. (2015). Routing in Internet of Vehicles: A review. IEEE Transactions on Intelligent Transportation Systems, 16(5), 2339–2352.
- 6. Connie, P. (2014). Automatic Crash Notification: A Promising Resource for Fire EMS. Fireengineering.com.
- 7. Djenouri, Y., Belbachir, A. N., Michalak, T., Belhadi, A., & Srivastava, G. (2024). Enhancing smart road safety with federated learning for Near Crash Detection to advance the development of the Internet of Vehicles. Engineering Applications of Artificial Intelligence, 133, 108350.
- Ford Support. (2014). 911 Emergency assistance | SYNC & SYNC with MyFord. Ford.com.
- 9. Jeremy, L. (2014). Advanced Automatic Collision Notification. CarTech.com.
- Kukkala, V. K., Tunnell, J., Pasricha, S., & Bradley, T. (2018). Advanced driver assistance systems: A path toward autonomous vehicles. IEEE Consumer Electronics Magazine, 7(5), 18–25.
- 11. Kuk, M. (2017). A statistical model for emergency medical services response to motor vehicle crashes in Michigan.
- 12. Yee, T. H., & Lau, P. Y. (2018, January). Mobile vehicle crash detection system. In 2018 International Workshop on Advanced Image Technology (IWAIT) (pp. 1-4). IEEE.
- Wang, X., Ning, Z., Hu, X., Ngai, E. C., Wang, L., Hu, B., & Kwok, R. Y. (2018). A city-wide real-time traffic management system: Enabling crowdsensing in social Internet of vehicles. IEEE Communications Magazine, 56(9), 19–25.
- 14. World Health Organization. (2019). Global status report on road safety 2018. World Health Organization.

Copyright: © 2025 The Author(s). This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.